


Packaging and Netting Protection




Protect Your Parts from Damage

Cushion your components and protect finished surfaces from scratching and damage during transit with Caplugs full line of Sleeve-Web® products. Our reusable plastic netting's elasticity ensures a snug fit and a non-slip grip on straight-sided parts and those with tapered or varying contours. Available in several strengths, styles and colors, we have the right solution for your exact needs.


Universal Sleeve-Web®

- > For most of your typical protection needs
- > Greatest flexibility
- > Impact and scratch protection




Light-Duty Sleeve-Web®

- > High flexibility
- > Impact and scratch protection




Standard-Duty Sleeve-Web®

- > Moderate flexibility
- > Greater impact and scratch protection
- > Available with special rust inhibitor material




Heavy-Duty Sleeve-Web®

- > Greatest impact and scratch protection
- > Basic flexibility



Universal Sleeve-Web® Netting SWUV Series


Caplug's Universal Sleeve-Web® is our most economical and versatile protective netting yet. This netting easily expands to hug various sizes while still providing durable protection against scratches and impact. With multiple sizes available, Universal Sleeve-Web® is ideal for just about any packaging solution.



Available in coils or cut lengths

Caplugs No.	To Fit O.D.		Color	Coil Length		Mini Coil Length	
	in	mm		ft	m	ft	m
SW-03-050	1/4 to 3/8	6.35 - 9.53	Orange	3500	1066	700	213
SW-04-050	3/8 to 3/4	9.53 - 19.05	Green	3000	914	600	182
SW-05-050	1/2 to 1	12.70 - 25.40	Blue	2750	838	550	167
SW-10-050	1 to 1-1/2	25.40 - 38.10	Red	1700	518	340	103
SW-15-050	1-1/2 to 2	38.10 - 50.80	Black	900	274	180	55
SW-20-050	2 to 2-1/2	50.80 - 63.50	White	800	243	160	48
SW-25-050	2-1/2 to 3	63.50 - 76.20	Yellow	600	182	120	36
SW-30-050	3 to 4	76.20 - 101.60	Green	450	137	90	27
SW-40-050	4 to 5	101.60 - 127.00	Orange	350	106	70	21
SW-50-050	5 to 6-1/4	127.00 - 158.75	Natural	250	76	50	15
SW-64-050	6-1/4 to 7-1/2	158.75 - 190.50	Blue	250	76	50	15
SW-75-050	7-1/2 to 9	190.50 - 228.60	Red	200	60	40	12
SW-90-050	9 to 10	228.60 - 254.00	Yellow	200	60	40	12


Light-Duty Sleeve-Web® Netting SW Series



Caplugs No.	Dimensions		Color	Packaging			
	To Fit O.D.	To Fit O.D.		Standard Coil		Mini Coil	
	In	mm		Feet	meters	Feet	meters
SW-075-22	3/4 to 2	19.05 - 50.80	Yellow	1500	460	300	90
SW-125-22	1-1/4 to 3	31.75 - 76.20	Blue	1000	300	200	60
SW-200-22	2 to 4	50.80 - 101.60	Red	800	240	160	50
SW-400-22	4 to 8	101.60 - 203.21	Blue	600	180	120	35
SW-600-22	6 to 12	152.40 - 304.80	Natural	200	60	40	12.2

Material: Low-Density Polyethylene Color: See chart


Standard-Duty Sleeve-Web® Netting SW Series



Caplugs No.	Dimensions		Color	Packaging			
	To Fit O.D.	To Fit O.D.		Standard Coil		Mini Coil	
	In	mm		Feet	meters	Feet	meters
SW-03	1/4 to 3/8	6.35 - 9.53	Orange	3500	1066	700	213
SW-04	3/8 to 3/4	9.53 - 19.05	Green	3000	914	600	180
SW-05	1/2 to 1	12.70 - 25.40	Blue	2750	840	550	170
SW-10	1 to 1-1/2	25.40 - 38.10	Red	1700	520	340	100
SW-15	1-1/2 to 2	38.10 - 50.80	Black	900	270	180	55
SW-20	2 to 2-1/2	50.80 - 63.50	White	800	240	160	50
SW-25	2-1/2 to 3	63.50 - 76.20	Yellow	600	180	120	35
SW-30	3 to 4	76.20 - 101.60	Green	450	140	90	30
SW-40	4 to 5	101.60 - 127.00	Orange	350	110	70	20
SW-50	5 to 6-1/4	127.00 - 158.75	Natural	250	80	50	15.2
SW-64	6-1/4 to 7-1/2	158.76 - 190.51	Blue	250	80	50	15.2
SW-75	7-1/2 to 9	190.51 - 228.61	Red	200	60	40	12.2
SW-90	9 to 10	228.61 - 254.01	Yellow	200	60	40	12.2

Material: Low-Density Polyethylene
Color: See chart

Heavy-Duty Sleeve-Web® Netting SW Series



Caplugs No.	Dimensions		Color	Packaging			
	To Fit O.D.	To Fit O.D.		Standard Coil		Mini Coil	
	In	mm		Feet	meters	Feet	meters
SW-050-66	1/2	12.70	White	2000	610	400	120
SW-075-66	3/4	19.05	Orange	1500	460	300	90
SW-100-66	1	25.40	Black	1200	370	240	75
SW-125-66	1-1/4	31.75	Green	1000	300	200	60
SW-150-66	1-1/2	38.10	Yellow	800	240	160	50
SW-175-66	1-3/4	44.45	Grey	600	180	120	35
SW-200-66	2	50.80	Blue	500	150	100	30
SW-250-66	2-1/2	63.50	Red	500	150	100	30
SW-300-66	3	76.20	Natural	450	135	90	27

Material: Low-Density Polyethylene
Color: See chart

Standard-Duty Sleeve-Web® Flat Sheet Netting PMW Series



Caplugs No.	Color	Mesh Thickness		Strands		Coil Size	
		In	mm	Per inch	Per cm	In x Ft	cm x m
PMW-7007-18	Yellow	.07	1.78	7	2.8	18 x 125	45.7cm x 38.1m
PMW-7005-20	Blue	.07	1.78	5	2.0	20 x 150	50.8cm x 45.6m
PMW-7004-24	Red	.07	1.78	4	1.6	24 x 125	61.0cm x 38.1m

Material: Low-Density Polyethylene
Color: See chart


Standard-Duty Sleeve-Web® with Rust Inhibitor SWI Series



Caplugs No.	Dimensions		Packaging			
	To Fit O.D.	To Fit O.D.	Standard Coil		Mini Coil	
	In	mm	Feet	meters	Feet	meters
SWI-03	1/4 to 3/8	6.35 - 9.53	3500	1066	700	213
SWI-04	3/8 to 3/4	9.53 - 19.05	3000	914	600	180
SWI-05	1/2 to 1	12.70 - 25.40	2750	840	550	170
SWI-10	1 to 1 1/2	25.40 - 38.10	1700	520	340	100
SWI-15	1 1/2 to 2	38.10 - 50.80	900	270	180	55
SWI-20	2 to 2 1/2	50.80 - 63.50	800	240	160	50
SWI-25	2 1/2 to 3	63.50 - 76.20	600	180	120	35
SWI-30	3 to 4	76.20 - 101.60	450	140	90	30
SWI-40	4 to 5	101.60 - 127.00	350	110	70	20
SWI-50	5 to 6 1/4	127.00 - 158.75	250	80	50	15.2
SWI-64	6 1/4 to 7 1/2	158.76 - 190.51	250	80	50	15.2
SWI-75	7 1/2 to 9	190.51 - 228.61	200	60	40	12.2
SWI-90	9 to 10	228.61 - 254.01	200	60	40	12.2

Material: Low-Density Polyethylene w/corrosion inhibitor
Color: Natural

Open-End & Flat-Closed Sleeve-Web® Instrument Guards CSWF & CSWF-C Series



Caplugs No.	Dimensions				Color	End	Carton Quantity	Mini Pak Quantity
	A Width		L Length					
	In	mm	In	mm				
CSWF-10MM-76MM	.394	10	2.992	76	Orange	Open	1200	240
CSWF-15MM-76MM	.591	15	2.992	76	Green	Open	1200	240
CSWF-20MM-76MM	.787	20	2.992	76	Blue	Open	1200	240
CSWF-40MM-76MM	1.575	40	2.992	76	Red	Open	1200	240
CSWF-60MM-76MM	2.362	60	2.992	76	Black	Open	1200	240
CSWF-70MM-76MM	2.756	70	2.992	76	White	Open	1200	240
CSWF-C-10MM-76MM	.394	10	2.992	76	Orange	Flat Closed	1200	240
CSWF-C-15MM-76MM	.591	15	2.992	76	Green	Flat Closed	1200	240
CSWF-C-20MM-76MM	.787	20	2.992	76	Blue	Flat Closed	1200	240
CSWF-C-40MM-76MM	1.575	40	2.992	76	Red	Flat Closed	1200	240

Material: Low-Density Polyethylene
Colors: See chart

Standard-Duty Sleeve-Web® Cut Bottle-Web Netting CBW Series



Caplugs No.	Dimensions				Packaging	
	To Fit O.D.		Length		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm		
CBW-4293-7.0†	3 to 5	76.20 - 127.00	7	177.80	400	n/a
CBW-4293-10.0	3 to 5	76.20 - 127.00	10	254.00	275	n/a

Material: Low-Density Polyethylene
Colors: Black, Red, Green

† CBW-4293-7.0 offered in optional color clear

Standard-Duty Sleeve-Web® Cut Sleeve-Web Netting CSW Series



Caplugs No.	Color	Dimensions				Packaging	
		Fits Cylinder Diameter		Length		Carton Quantity	Mini Pak Quantity
		In	mm	In	mm		
CSW-4271-36	Natural	9	225.61	36	914.40	40	n/a
CSW-4265-6	Natural	9	225.61	6	152.40	210	50
CSW-4279-6	Natural	12-1/2	317.51	6	152.40	250	50
CSW-4281-25	Blue	7	177.81	25	635.00	50	n/a
CSW-4241-17.5	Green	7 - 9	177.80 - 228.60	17.5	444.50	100	n/a

Material: Low-Density Polyethylene
Color: See chart


Note: Parts are open on both ends

Solutions for all your product protection needs

Leader in Product Protection

For more than 70 years, Caplugs has been the leader in product protection with more than 40,000 catalog parts and 450 million parts in stock and ready to ship.


As a global manufacturer with 11 manufacturing facilities, 6 different manufacturing processes and a direct team of in-field product experts providing personalized, local service, Caplugs is your trusted partner for product protection, masking solutions and molded components.




Plastic Caps



Plastic Plugs



Masking



Tubing, Netting & Containers



Hose Protection



OCTG Thread Protectors



Evergreen Labware



More Product Protection



www.caplugs.com/packaging-netting | 1.888.CAPLUGS | sales@caplugs.com